





1/11



2/11



3/11




FIG. 3

4/11

Parameter size	Time Unit			
	One frame	Two frames	Three frames	Four frames
12 bits	MSI: 5.12 s Gran.: 1 frame MPSE: 0.16 fr.	MSI: 10.24 s Gran.: 2 frames MPSE: 1.33 fr.	MSI: 15.36 s Gran.: 3 frames MPSE: 1.49 fr.	MSI: 20.48 s Gran.: 4 frames MPSE: 2.66 fr.
13 bits	MSI: 10.24 s Gran.: 1 frame MPSE: 0.33 fr.	MSI: 20.48 s Gran.: 2 frames MPSE: 1.66 fr.	MSI: 30.72 s Gran.: 3 frames MPSE: 1.98 fr.	MSI: 40.96 s Gran.: 4 frames MPSE: 3.31 fr.
14 bits	MSI: 20.48 s Gran.: 1 frame MPSE: 0.66 fr.	MSI: 40.96 s Gran.: 2 frames MPSE: 2.31 fr.	MSI: 61.44 s Gran.: 3 frames MPSE: 2.97 fr.	MSI: 81.92 s Gran.: 4 frames MPSE: 4.62 fr.
15 bits	MSI: 40.96 s Gran.: 1 frame MPSE: 1.31 fr.	MSI: 81.92 s Gran.: 2 frames MPSE: 3.62 fr.	MSI: 122.88 s Gran.: 3 frames MPSE: 4.93 fr.	MSI: 163.84 s Gran.: 4 frames MPSE: 6.24 fr.
16 bits	MSI: 81.92 s Gran.: 1 frame MPSE: 2.64 fr.	MSI: 163.84 s Gran.: 2 frames MPSE: 6.24 fr.	MSI: 245.76 s Gran.: 3 frames MPSE: 8.86 fr.	MSI: 327.68 s Gran.: 4 frames MPSE: 12.49 fr.
17 bits	MSI: 163.84 s Gran.: 1 frame MPSE: 5.24 fr.	MSI: 327.68 s Gran.: 2 frames MPSE: 11.49 fr.	MSI: 491.52 s Gran.: 3 frames MPSE: 16.73 fr.	MSI: 655.36 s Gran.: 4 frames MPSE: 22.97 fr.
18 bits	MSI: 327.68 s Gran.: 1 frame MPSE: 10.49 fr.	MSI: 655.36 s Gran.: 2 frames MPSE: 20.97 fr.	MSI: 983.04 s Gran.: 3 frames MPSE: 32.46 fr.	MSI: 1310.72 s Gran.: 4 frames MPSE: 43.94 fr.

FIG. 4

5/11




FIG. 5




FIG. 6

Application Filing Date: October 25, 2001

Title: Coordinated Inquiry and Page Procedures...

Inventor(s): Johan Rune

Application No. 10/042,000

Sheet 6 of 11

6/11

13	4	1	28	3	13	4	8
PST _R	FSAI _R	AC	BDM	PSM _M	PST _M	FSAI _M	ScID

FIG. 7

15	4	2	2	28	3	15	4	1
PST _R	FSAI _R	AC	PSP _R	BDM	PSM _M	PST _M	FSAI _M	PSP _M

FIG. 8

7/11




FIG. 9A




FIG. 9B




FIG. 9C

8/11




FIG. 10





FIG. 11

9/11

ScID/ No ScID	Two/Single device-case	Scenario	Subcase	Preferred alternatives			
				1st	2nd	3rd	
ScID	Two-device- case	Dynamic ...	N/A	N/A	1	5	
			Topology	22	21	-	
	Single- device-case		Master- page...	1*	5*	27	
			Only- master...	1**	5**	38***	
			Responding ...	22	21	-	
	Only...		N/A	22	21	-	
No ScID	Two-device- case	Dynamic ...	N/A	N/A	13	12	
			Topology ...	40	39	-	
	Single- device-case		Master- page...	13*	12*	43	
			Only- master...	13**	12**	52***	
			Responding ...	40	39	-	
	Only...		N/A	40	42	-	

FIG. 12

10/11

FIG. 13A

11/11

